UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/755,427	01/12/2004	Lee Bolduc	203-2626 DIV CON VIII 9695 (24	
7590 11/12/2008 <b>Mark Farber</b> , Esq.			EXAMINER	
U.S. Surgical,	•	YABUT, DIANE D		
A Division of Tyco Healthcare Group, LP 150 Glover Avenue Norwalk, CT 06856			ART UNIT	PAPER NUMBER
			3734	
			MAIL DATE	DELIVERY MODE
			11/12/2008	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)
	10/755,427	BOLDUC ET AL.
Office Action Summary	Examiner	Art Unit
	DIANE YABUT	3734
The MAILING DATE of this communication appeariod for Reply	ppears on the cover sheet with the	correspondence address
A SHORTENED STATUTORY PERIOD FOR REP WHICHEVER IS LONGER, FROM THE MAILING  - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication.  - If NO period for reply is specified above, the maximum statutory periot  - Failure to reply within the set or extended period for reply will, by statu. Any reply received by the Office later than three months after the mail earned patent term adjustment. See 37 CFR 1.704(b).	DATE OF THIS COMMUNICATIO 1.136(a). In no event, however, may a reply be tind d will apply and will expire SIX (6) MONTHS from the, cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).
Status		
1) ☐ Responsive to communication(s) filed on 11  2a) ☐ This action is <b>FINAL</b> . 2b) ☐ Th  3) ☐ Since this application is in condition for allow closed in accordance with the practice under	nis action is non-final. vance except for formal matters, pre	
Disposition of Claims		
4) ☐ Claim(s) 1-19 is/are pending in the application 4a) Of the above claim(s) is/are withdr 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-19 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and, Application Papers	rawn from consideration.	
9)☐ The specification is objected to by the Examir	ner.	
10) The drawing(s) filed on is/are: a) according a deplicant may not request that any objection to the Replacement drawing sheet(s) including the correct should be shown in the short of the shor	e drawing(s) be held in abeyance. Se	e 37 CFR 1.85(a). ejected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:  1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bure * See the attached detailed Office action for a list	nts have been received. nts have been received in Applicat iority documents have been receiv au (PCT Rule 17.2(a)).	ion No ed in this National Stage
Attachment(s)  1) Notice of References Cited (PTO-892)  2) Notice of Draftsperson's Patent Drawing Review (PTO-948)  3) Information Disclosure Statement(s) (PTO/SB/08)  Paper No(s)/Mail Date	4)  Interview Summary Paper No(s)/Mail D 5)  Notice of Informal I 6)  Other:	ate

Application/Control Number: 10/755,427 Page 2

Art Unit: 3734

#### **DETAILED ACTION**

#### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 06/13/2008 has been entered.

## Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1, 4-6, and 19 are rejected under 35 U.S.C. 102(b) as being anticipated by **Miller** (U.S. Patent No. **4,628,943**).

Claims 1, 4-6 and 19: Miller discloses an applicator comprising a distal portion having an elongate outer tube **30**, a connecting end and a terminal end, a proximal portion having a handle and an actuator **22**, the proximal portion being attached to the connecting end of the distal portion, and a rotator **44** cooperating with the actuator, the rotator including a longitudinal groove extending along at least a portion thereof (within the distal end **54** of rotator), the groove configured to receive a portion of a fastener **36**,

wherein the rotator resides within and extends substantially the length of the outer tube such that actuation of the actuator rotates and translates the fastener relative to the outer tube while the rotator remains longitudinally or axially stationary with respect to the outer tube (Figures 1-3; col. 5, line 57 to col. 6, line 22). The applicator has a thread form 62 contained in an interior of the terminal end adapted to engage a plurality of fasteners and being an interlock spring fixedly retained in the interior of the terminal end, wherein "spring" is taken to mean an "actuating force." This may also be considered as a nose piece 60 that has structures projecting perpendicularly toward a longitudinal axis of the outer tube and adapted to engage a plurality of fasteners. The proximal and distal portions

## Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 2-3 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miller (U.S. Patent No. 4,628,943) in view of Smith et al. (U.S. Patent No. 4,596,350).
- <u>Claims 2-3</u>: Miller discloses the claimed device, except for a lock/clip indicator for engaging a plurality of fasteners which is configured to prevent actuation of the actuator

upon discharge of the plurality of fasteners from the applicator, and a load spring for applying longitudinal forces against the lock/clip indicator.

Smith et al. teach a lock/clip indicator **51** for engaging a plurality of fasteners which is configured to prevent actuation of the actuator upon discharge of the plurality of fasteners from the applicator, and a load spring **20** for applying longitudinal forces against the lock/clip indicator (col. 9, lines 35-52). It would have been obvious to one of ordinary skill in the art at the time of invention to provide a lock/clip indicator and load spring, as taught by Smith et al., to Miller since it was known in the art that lock/clip indicators with spring mechanisms prevent undesirable forward advancement of fasteners.

6. Claims 7-8 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Miller** (U.S. Patent No. **4,628,943**) in view of **Green et al.** (U.S. Patent No. **5,100,420**). Claims 7-8: Miller discloses the claimed device, except for the distal portion and the proximal portion being releasably secured together and the distal portion being disposable and the proximal portion being reusable.

Green et al. teach a distal portion being disposable and the proximal portion being reusable (col. 10, lines 47-51). It would have been obvious to one of ordinary skill in the art to provide a disposable distal portion and a reusable proximal portion, as taught by Green et al., to McPherson et al. since it was known in the art that disposable distal portions of medical devices is a solution to time-consuming sanitation of the distal ends prior to being introduced into the body.

Application/Control Number: 10/755,427

Art Unit: 3734

Page 5

7. Claims 9-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Miller (U.S. Patent No. 4,628,943) in view of Pratt et al. (U.S. Patent No. 5,607,436).

Claims 9 and 14: Miller discloses the claimed device, except for a lever with a first end, a midsection, and a second end, a lead screw, and a nut driver.

Pratt et al. teach a lever **14** having a first end, a midsection, and a second end, the lever pivotally attached about a midpoint to the handle, the first end of the lever for gripping by hand, a lead screw **54** rotatably attached to interior of the handle, a nut driver, the second end of the lever pivotally attached to the nut driver, the nut driver for traveling along the lead screw, thereby turning the lead screw, and the lead screw attached to the rotator so that as the lever is depressed by hand the nut driver will travel along the lead screw towards the rotator thereby turning the rotator in the process (Figures 3-7). It would have been obvious to one of ordinary skill in the art at the time of invention to provide a first end, a midsection, and a second end, a lead screw, and a nut driver with all the above limitations, as taught by Pratt et al., to Miller since it was known in the art to use lever, screw, and driver mechanisms to advance fastening members from the interior of an applicator to the exterior.

<u>Claim 11</u>: Miller discloses the claimed device except for the lever having a midsection extension.

Pratt et al. teach a lever having a midsection extension **36** (Figure 3). It would have been obvious to one of ordinary skill in the art at the time of invention to provide a midsection extension, as taught by Pratt et al., to Miller since it was known in the art that

Art Unit: 3734

midsection extensions on levers are used in order to engage with the proximal, driver portion of the applicator.

Page 6

<u>Claims 12, 13, and 16</u>: Miller discloses the claimed device, except for gear teeth formed within the interior of a handle, a spring loaded pawl pivotally attached to the midsection extension and adapted to engage the gear teeth, the releasable engagement means being a ratchet mechanism.

Pratt et al. teaches gear teeth **48** formed within the interior of a handle, a spring loaded pawl **40** pivotally attached to the midsection extension and adapted to engage the gear teeth, the relasable engagement means being a ratchet mechanism (Figure 3). It would have been obvious to one of ordinary skill in the art to provide the ratchet mechanism including the gear teeth and spring loaded pawl, as taught by Pratt et al., to Miller since it was known in the art to use ratchet mechanisms to restrict movement in one direction.

Claims 10 and 15: Miller discloses the claimed device, except for the lead screw being a high helix lead screw. It would have been obvious to one of ordinary skill in the art at the time of invention to provide a high helix lead screw for the lead screw in Miller since it was known in the art that high helix angle thread screws are high efficiency using low rotational speeds.

Application/Control Number: 10/755,427 Page 7

Art Unit: 3734

8. Claims 17-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Miller** (U.S. Patent No. **4,628,943**) and **Pratt et al.** (U.S. Patent No. **5,607,436**), as applied to Claim 14 above, and further in view of in view of **Knodel et al.** (U.S. Patent No. **5,487,500**).

<u>Claims 17-18</u>: Miller and Pratt et al. disclose the claimed device, including having a mid-section extension and a latch pawl cooperating with the teeth to prohibit the lever from backstroking until it has been completely depressed (see paragraph 7 above), except for a plurality of teeth being formed in the mid-section extension.

Knodel et al. teaches a mid-section extension with formed plurality of teeth (Figure 6). It would have been obvious to one of ordinary skill in the art at the time of invention to provide a plurality of teeth, as taught by Knodel et al., to Miller and Pratt et al. since it was known in the art that teeth are used in ratchet and gear mechanisms which are used in applicators.

## Response to Arguments

9. Applicant's arguments with respect to claims 1-19 have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to DIANE YABUT whose telephone number is (571)272-6831. The examiner can normally be reached on M-F: 9AM-4PM EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Todd Manahan can be reached on (571) 272-4713. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Diane Yabut/ Examiner, Art Unit 3734

/Todd E Manahan/ Supervisory Patent Examiner, Art Unit 3731